



X Contents

Porcelain

Verona Range	2
Drift Range	8
Montage Range	11
Marble Range	14
Bodo Range	28
Cemento Range	24
Province Range	30
Mason Range	36
Marea Range	40
Delhi Range	44


Natural Stone

Storm Range	52
Lime Range	62
Cobbles Range	64
Cladding Range	66
Stone Cladding	68
Steps Range	70
Copings Range	72

Porcelain Paving




X Verona Range




X Verona Range


Verona Range





Crono



Geo



Taupe

	Dimensions	Pack Quantity	Pack Coverage
	600 x 600 x 20mm	64	23.04 sqm
	600 x 1200 x 20mm	30	21.60 sqm

 R11 Anti-Slip Rated

 Rectified Porcelain



Italian Porcelain
Indoor & Outdoor Tiles



IN & OUT
1200 x 600

IN & OUT
600 x 600

X Crono

4



IN & OUT
1200 x 600

IN & OUT
600 x 600

X Geo

5



IN & OUT
600 x 600

X Taupe



Stock Shipment



Brazilian Grey Install




Our Manufacturing Team



Goods Loading



Stock Manufacturing



Stock Warehousing



Sample Boxes



Our Manufacturing Team



Installation



X Drift Range

X Drift Range

Drift Range



Deck Wood Cinder



Oak Wood Beige



Oak Wood Grey


	Dimensions	Pack Quantity	Pack Coverage
	300 x 1200 x 20mm	64	23.04 sqm

R11 Anti-Slip Rated

Rectified Porcelain



X Montage Range



Montage Three



Cosmic RADIUS

X Montage Range

	Dimensions	Pack Quantity	Pack Coverage
<input type="checkbox"/>	600 x 600 x 20mm	64	23.04

 R11 Anti-Slip Rated

 Rectified Porcelain



600 x 600

X Montage Three 12





600 x 600

X Cosmic Reditus 13




X Marble Range



Diamond Gold

X Marble Range

Marble Range

	Dimensions	Pack Quantity	Pack Coverage
	600 x 900 x 20mm	40	21.60 sqm

 R11 Anti-Slip Rated

 Rectified Porcelain




900 x 600

X Diamond Gold

16



-  NO MESS APPLICATION
-  PRESSURE WASH RESISTANT
-  WATERPROOF
-  EXTREMELY HIGH STRENGTH
-  LOW MAINTENANCE
-  COLOUR FAST




Scan me to watch
How To Apply: Joint-It
Porcelain Epoxy Grout





X Bodo Range



X Bodo Range


Bodo Range



Bodo Anthracite



Bodo Grey



Bodo Beige



Bodo White

	Dimensions	Pack Quantity	Pack Coverage
	600 x 900 x 20mm	40	21.60 sqm



900 x 600

X Anthracite

20



900 x 600

X Grey

21



900 x 600

X Beige

22




900 x 600


X White

23


Bodo Range



X Cemento Range



X Cemento Range




Smoke



Nero



Ash

	Dimensions	Pack Quantity	Pack Coverage
	600 x 900 x 20mm	40	21.60 sqm

 R11 Anti-Slip Rated

 Rectified Porcelain



900 × 600

X Smoke

26



900 × 600

X Nero

27



900 x 600

 Ash





X Province Range



X Province Range

Province Range




Country Anthracite



Country Crema



Country Light Grey




Country Gris

	Dimensions	Pack Quantity	Pack Coverage
	600 x 600 x 16mm	78	28.08 sqm
	600 x 900 x 20mm	40	21.60 sqm
	150 x 900 x 20mm	160	21.60 sqm
	600 x 1200 x 20mm	30	21.60 sqm

 R11 Anti-Slip Rated

 Rectified Porcelain




X Anthracite

32






X Crema

33





X Gris

34



X Light Grey

35



Hammerstone Beige



Hammerstone Grey



Dimensions	Pack Quantity	Pack Coverage
600 x 900 x 20mm	40	21.60 sqm



900 x 600

X Beige

38



900 x 600

X Grey



39




X Marea Range

X Marea Range


Marea Range



Earthcore Beige



Earthcore Grey



Dimensions	Pack Quantity	Pack Coverage
600 x 900 x 16mm	52	28.08 sqm
600 x 900 x 20mm	40	21.60 sqm

R11 Anti-Slip Rated

Rectified Porcelain



900 x 600

16/20mm Available

X Beige

42



900 x 600



16/20mm Available

X Grey

43




X Delhi Range



X Delhi Range


Delhi Range




Kandla Grey



Brazilian Grey



Raj Green

	Dimensions	Pack Quantity	Pack Coverage
	600 x 900 x 20mm	40	21.60 sqm

 R11 Anti-Slip Rated

 Rectified Porcelain



900 × 600

X Kandla Grey

46



900 × 600

X Brazillian Grey

47



900 x 600

X Raj Green

48

X Porcelain Patio Packs

Porcelain Patio Pack



Raj Green



Kandla Grey

	Dimensions	Thickness	Project Pack (21sqm)
<input type="checkbox"/>	296 x 296mm	20mm	18 pcs
<input type="checkbox"/>	600 x 296mm	20mm	18 pcs
<input type="checkbox"/>	600 x 600mm	20mm	18 pcs
<input type="checkbox"/>	900 x 600mm	20mm	18 pcs

R11 Anti-Slip Rated

Rectified Porcelain

49

X Laying Patterns



Stack Bond

Suitable for 600 x 600 / 900 x 600



Half Bond

Suitable for 600 x 600 / 900 x 600



Third Bond

Suitable for 900 x 600 / 1200 x 600

Natural Stone



X Storm Range





X Storm Range

Storm Range

Kandla Grey Raj Blend Autumn Brown

Sunset York Stone Slate Grey

Mint

	Dimensions	Thickness	Project Pack (15.25sqm)
	290 x 290mm	22mm	9 pcs
	600 x 290mm	22mm	13 pcs
	600 x 600mm	22mm	13 pcs
	900 x 600mm	22mm	13 pcs

18mm sandstone available upon request


 22mm Calibrated

 Ethically Sourced

 www.stonexuk.com




Project Pack
15.25sqm




900 × 600
18.90sqm



600 × 600
15.84sqm



600 × 290
17.75sqm




290 × 290
16.82sqm

X Kandla Grey

54




Project Pack
15.25sqm




900 × 600
18.90sqm



600 × 600
15.84sqm




600 × 290
17.75sqm



290 × 290
16.82sqm

X Raj Blend

55



Project Pack
15.25sqm

X Autumn Brown

56




Project Pack
15.25sqm

900 x 600
18.90sqm

X Sunset

57

Storm Range



Project Pack
15.25sqm

X York stone

58



Project Pack
15.25sqm

X Slate Grey

59



Project Pack
15.25sqm


X Mint

60



JOINT-It
SIMPLE

Tub Size	Available Colours	Joint Size
20 kg	Black / L.Grey / D.Grey / Buff	3mm wide x 25mm deep



Scan me to watch
How To Apply: Joint-It Simple
Patio Jointing Compound






X Lime Range

X Lime Range


Lime Range



Black Lime

Blue Lime

Buff Lime

	Dimensions	Thickness	Project Pack (15.25sqm)
	290 x 290mm	22mm	9 pcs
	600 x 290mm	22mm	13 pcs
	600 x 600mm	22mm	13 pcs
	900 x 600mm	22mm	13 pcs

 22mm Calibrated


 Ethically Sourced

 www.stonexuk.com



X Cobbles Range

Cobbles Range




Kandla Grey



Raj Blend



Sunset



Kandla Grey



Raj Blend



Sunset



Silver Granite

	Dimensions	Thickness	Pieces Per Sqm
<input type="checkbox"/>	100 x 100mm	35-55mm	100 pcs
<input type="checkbox"/>	200 x 100mm	25-35mm	50 pcs
<input type="checkbox"/>	100 x 100mm	40-50mm	100 pcs

X Cobbles Range

Handcut Stone

Ethically Sourced

www.stonexuk.com



X Cladding Range



X Cladding Range

Cladding Range



Kandla Grey



Jak Black



Raj



Cloudy Grey



Black Quartz



Green Quartz

	Dimensions	Thickness	Pieces Per Sqm
Top Row	600 x 150mm	10-20mm	11 pcs
Bottom Row	550 x 150mm	10-20mm	12 pcs

Corners available for all designs (Layers may vary from 4 or 5)



X Stone Cladding



X Stone Cladding

Stone Cladding



Blue Lias



Black Slate



Penant





Blue Lias Corner



Black Slate Corner



Penant Corner

	Dimensions	Thickness	Pieces Per Sqm
	550 x 200mm	30-40mm	9 pcs
	300 x 200mm	30-40mm	N/A



X Steps Range

X Steps Range

Steps Range

Bullnose



Kandla Grey



Raj



200mm



Kandla Grey



Raj

	Dimensions	Thickness	Crate Quantity
	900 x 400mm	40mm	24 pcs
	1200 x 200mm	150mm	8 pcs



X Copings Range

X Copings Range

Copings Range



150mm

Kandla Grey

Raj

300mm


Kandla Grey

Raj

	Dimensions	Thickness	Crate Quantity
	900 x 150mm	30mm	100 pcs
	900 x 300mm	30mm	50 pcs



Examine the product thoroughly to ensure satisfaction prior to installation. It is recommended to dry lay before permanent installation, as this allows for a careful inspection to ensure you are happy with the product and any potential issues are identified before committing to the final placement.



Never use the spot bed method. Ensure that when laying, paving is consistently placed on a complete mortar bed.



When working with natural stone, it's essential to consistently apply an SBR bonding agent (or a slurry primer) to the back. For porcelain tiles, ensure you use a slurry primer (or an equivalent) on the back of the tile for optimal results.



Do not lay paving materials in a butt joint fashion. Always opt for an appropriate size joint suitable for the specific product being laid.

